

Green Infrastructure Champions Program

This program is partially funded by the Rutgers New Jersey Agricultural Experiment Station, Geraldine R. Dodge Foundation, NJ Sea Grant Consortium, and William Penn Foundation and is a collaboration of the Rutgers Cooperative Extension Water Resources Program and the Green Infrastructure Subcommittee of Jersey Water Works.



**Please enter your full name
and affiliation in the chat. This
is how will take attendance.**



Green Infrastructure Champion Training: Part 1

“How to identify green infrastructure projects in your town”

January 13, 2023
Virtual Class



Welcome and Introduction

Christopher C. Obropta, Ph.D., P.E.

Phone: 908-229-0210

Email: obropta@envsci.rutgers.edu

www.water.rutgers.edu



Rutgers Cooperative Extension

Rutgers Cooperative Extension (RCE) helps the diverse population of New Jersey adapt to a rapidly changing society and improves their lives through an educational process that uses science-based knowledge.





Water Resources Program




Our mission is to identify and address water resources issues by engaging and empowering communities to employ practical science-based solutions to help create a more equitable and sustainable New Jersey.



Environmental County Agents

The Environmental County Agents teach people new skills and information so they can make better informed decisions and improvements to their businesses and personal lives.

- Michele Bakacs, Middlesex and Union
- Pat Rector, Morris and Somerset, **RETIRED**
- Amy Rowe, Essex and Passaic
- Mike Haberland, Camden and Burlington
- Sal Mangiafico, Salem and Cumberland
- Steve Yergeau, Ocean and Atlantic



Green Infrastructure Champion

Green Infrastructure Champions are key players in implementing green infrastructure as a stormwater management approach in their community.

Rutgers inputs to the Green Infrastructure Champion Program

- Training classes on various aspects of green infrastructure planning and implementation
- Professional staff to provide technical support to develop a design for a green infrastructure demonstration project
- Networking opportunities with other Green Infrastructure Champions for mutual support
- Assistance with grant writing and submission

Short-term results/impacts

Green Infrastructure Champions will:

- Increase their knowledge and awareness about green infrastructure practices, planning, and implementation
- Gain a skill set to allow them to engage community leaders, schools, and non-governmental organizations (NGOs) and advocate for green infrastructure as a stormwater management solution
- Identify funding opportunities and secure funding for green infrastructure

Long-term results/impacts

- Green infrastructure practices are installed throughout the community
- Green infrastructure becomes a standard in the community for addressing stormwater problems
- Localized flooding is reduced
- Water quality improves
- Community become more resilient to extreme weather events

Stormwater Basics




What is stormwater?



Stormwater is the water from rain or melting snows that can become “runoff,” flowing over the ground surface and returning to lakes and streams.

The Natural Hydrologic Cycle



The Impact of Development on Stormwater Runoff



More development




More impervious surfaces



More stormwater runoff




The Urban Hydrologic Cycle



EXAMPLES OF NPS

- Oil and grease from cars
- Fertilizers
- Animal waste
- Grass clippings
- Septic systems
- Sewage leaks
- Household cleaning products
- Litter
- Agriculture
- Sediment





History of Stormwater Management



1st Attempt at Stormwater Management

Capture all runoff, pipe it, and send it directly to the river . . . prior to mid 1970's



2nd Iteration of Stormwater Management

Capture runoff, detain it, release it slowly to the river...mid 1970's to 2004

- Detain peak flow during large storm events for 18 hours (residential) or 36 hours (commercial)
- Reduce downstream flooding during major storms
- Use concrete low flow channels to minimize erosion, reduce standing water, quickly discharge low flows
- Does not manage runoff from smaller storms allowing stormwater to pass through the system
- Directly discharges stormwater runoff to nearby stream, waterway, or municipal storm sewer system (at a controlled/managed rate)



3rd Generation of Stormwater Management

- Reduce stormwater runoff volume
- Reduce peak flows and flooding
- **...and....**
- Maintain infiltration and groundwater recharge
- Reduce pollution discharged to local waterways



ABC Action News, August 27, 2012



4th Generation of Stormwater Management (Started March 2, 2021)

- All major development must use green infrastructure to comply with the New Jersey Stormwater Regulations



Green Infrastructure

...an approach to stormwater management that is cost-effective, sustainable, and environmentally friendly.

Green Infrastructure projects:

- capture,
- filter,
- absorb, and
- reuse

stormwater to maintain or mimic natural systems and treat runoff as a resource.



Green Infrastructure

Stormwater management practices that protect, restore, and mimic the native hydrologic condition by providing the following functions:

- Infiltration
- Filtration
- Storage
- Evaporation
- Transpiration



Green Infrastructure Practices

Bioretention Systems

- Rain Gardens
- Bioswales
- Stormwater Planters
- Curb Extensions
- Tree Filter Boxes



Permeable Pavements

Rainwater Harvesting

- Rain Barrels
- Cisterns



Dry Wells

Rooftop Systems

- Green Roofs
- Blue Roofs



TYPES OF BIORETENTION

Bioretention Cells

- Single-family lots
- Commercial areas
- Parking lots



Planters & Planter Boxes

- Highly urban areas
- Right-of-way and adjacent to buildings

Rain Gardens

- Single-family lots
- Small commercial areas

Vegetated Curb Extensions


- Bioretention incorporated into right-of-way in urban and suburban areas

Bioretention Swales/ Bioswales/Vegetated Swales


- Typically in right-of-way



Rain Gardens



Rain Garden Cross-Section





Lots of Rain Gardens







Rain Garden
This garden is designed to capture and filter rainwater from the roof and driveway, reducing runoff and preventing erosion. It also helps to recharge groundwater and filter pollutants from the water. The plants in this garden are selected for their ability to tolerate both wet and dry conditions. For more information on rain gardens, visit the website at the bottom of the sign.







Bioswale

NATIVE PLANTS

A bioswale is planted with a variety of grasses, wildflowers, and woody plants that are adapted to the soil, precipitation, climate, and other site conditions. The vegetation helps filter stormwater runoff as it moves through the system.

CONVEYANCE


Unlike other systems, the bioswale is designed to move water through a vegetative channel as it slowly infiltrates into the ground.

SLOPE

The slope is designed at a maximum of 3:1. These slopes often require erosion control materials for stabilization.

INFLOW

This is the area where stormwater enters.









Stormwater Planters

NATIVE PLANTS

A stormwater planter is planted with a variety of grasses, wildflowers, and woody plants that are adapted to the soil, precipitation, climate, and other site conditions.

CURB CUT

This curb cut and concrete flow pad are designed to help redirect stormwater runoff to the rain garden system and out of the storm drain.

CONCRETE WALL


Concrete walls are installed to match the existing curb. These walls create the frame for the stormwater planter and continue to function as a curb.

INLET


This is the area where stormwater enters. The inlet is often lined with stone to slow water flow and prevent erosion.

SUBGRADE

Stormwater planter systems are unique because of their subgrade structure. This structure is layered with bioretention media, choker course, compact aggregate, and soil separation fabric.







NOTES:
 3 AND OTHER
 CTIONS (E.G. SCUPPER,
 RUNNEL) FROM BUILDING
 ON PONDING ELEVATION.
 : SAN FRANCISCO DBI
 NCE CONNECTION

IF EXISTING SUBGRADE
 INFILTRATION FACILITIES.
 O A DEPTH OF 6 INCHES
 IOR TO PLACEMENT OF
) BIORETENTION SOIL.
 ER REQUIRED WITHIN 10
 /ELOPE UNLESS
 INER NOTE 8 (SEE BP 5.1).


TOP OF WALKING
 MULCH SHALL INCLUDE
 : SOIL SETTLEMENT.
 ISCO DBI CODES FOR
 REQUIREMENTS.

NOTCHES TO PREVENT
 WATER WALL. SLOPE
 OF PLANTER.

WORKMANSHIP FOR
 RES SHALL CONFORM TO
 ICSICO DBI CODES.

OPTIONAL UNDERDRAIN, SEE NOTE 4 AND


BC	BC
5.1	5.2




Stormwater Planter Cross-section

Curb Extensions





NOTE:
Graphic adapted from
Portland, OR Storm
Manual Detail 5




Permeable Pavement

POROUS ASPHALT

It is common to design porous asphalt in the parking stalls of a parking lot. This saves money and reduces wear.

DRAINAGE AREA

The drainage area of the porous asphalt system is the conventional asphalt cartway and the porous asphalt in the parking spaces. Runoff from the conventional asphalt flows into the porous asphalt parking spaces.



UNDERDRAIN

Systems with low infiltration rates due to soil composition are often designed with an underdrain system to discharge the water.

ASPHALT


This system is often designed with conventional asphalt in areas of high traffic to prevent any damage to the system.

SUBGRADE

Porous pavements are unique because of their subgrade structure. This structure includes a layer of choker course, filter course, and soil.

Permeable Pavements


- Underlying stone reservoir
- Porous asphalt and pervious concrete are manufactured without "fine" materials to allow infiltration
- Grass pavers are concrete interlocking blocks with open areas to allow grass to grow
- Permeable paver systems are concrete pavers with infiltration between the spaces of the pavers
- Ideal application for porous pavement is to treat a low traffic or overflow parking area



ADVANTAGES

- Manage stormwater runoff
- Minimize site disturbance
- Promote groundwater recharge
- Low life cycle costs, alternative to costly traditional stormwater management methods
- Mitigation of urban heat island effect
- Contaminant removal as water moves through layers of system

COMPONENTS



Porous Asphalt





Pervious Concrete




Permeable Pavers

A photograph showing a driveway paved with interlocking concrete pavers. The pavers are arranged in a grid pattern, with grass growing through the openings. The driveway is covered with fallen autumn leaves and some dry grass. In the background, there is a chain-link fence and a dark vehicle parked on the left side. The overall scene is outdoors during autumn.

Grass Pavers


Rainwater Harvesting Systems



Rain Barrels



Cisterns














Dry Wells




Infiltration Trench



Rooftop Practices – Green Roof




Rooftop Practices – Blue Roof





Stormwater Wetlands

Identifying Sites for Green Infrastructure



RUTGERS
New Jersey Agricultural
Experiment Station






It is all about
controlling runoff
from impervious
surfaces




Connected or Disconnected?




Simple Disconnection



Downspout Disconnection



**DOWNSPOUT CONNECTED
TO SEWER SYSTEM**



**DOWNSPOUT DISCONNECTED
FROM SEWER SYSTEM**


Another Example of Simple Disconnection

For 1.25 inch storm, 3,811 cubic feet of runoff = **28,500 gallons**


Total drainage area = 3 acres

1 acre directly connected
impervious cover

2 acres pervious
cover




For 1.25 inch storm, 581 cubic feet of runoff = **4,360 gallons**




	Volume of Runoff		
Design Storm	Connected (gallons)	Disconnected (gallons)	Percent Difference
1.25 inches (water quality storm)	28,500	4,360	85%

Disconnect with a rain garden



Disconnect to a Rain Barrel or Cistern



Impervious area is now "disconnected" from flowing directly into the storm sewer system

SITE SELECTION

What are good sites?

- Sites with impervious surfaces that are directly connected
- Sites with a lawn area that can be converted to accept stormwater runoff
- Sites with highly visibility – good educational opportunities
- Sites in impaired watersheds
- Sites on municipal owned land/public land
- Sites that provide partnership opportunities

WE LOOK HERE FIRST:


- ✓ Schools
 - ✓ Places of Worship
 - ✓ Libraries
 - ✓ Municipal Building
 - ✓ Public Works
 - ✓ Firehouses
 - ✓ Post Offices
 - ✓ Elks or Moose Lodge
 - ✓ Parks/ Recreational Fields
- 20 to 40 sites are entered into a PowerPoint
 - Site visits are conducted


Google or Bing Maps

- Go to Google or Bing Maps
- Type in address
- Aerial or birds eye view
- “Snip It” (MS Windows Accessory)
- Insert into PowerPoint
- “Crop It”


Auten Road School in Hillsborough, NJ
281 Auten Rd, Hillsborough Township, NJ 08844




















1

4

NO. 2

ENGINE 37-103



IN LOVING MEMORY OF
OUR DEPARTED SISTER

1972







1



5

PARKING
ANY
TIME

NO IDLING
ZONE



IT'S THE LAW
TO REPORT VIOLATIONS
CALL 609-291-3333
WWW.NJDEP.NJ



6

STOP



7





3







"Protecting Public Health and the Environment"

RUTGERS

New Jersey Agricultural
Experiment Station





"Protecting Public Health and the Environment"

RUTGERS

New Jersey Agricultural Experiment Station





Pittsgrove Baptist Church

Subwatershed: Salem River
Site Area: 696,419 sq. ft.
Address: 368 Daretown Road
Elmer, NJ 08318
Block and Lot: Block 59, Lot 14, 17



Rain gardens can be installed in the turfgrass area at the front of the church and behind the church. The gardens would capture, treat, and infiltrate runoff from the roof of the building and the parking area. A preliminary soil assessment suggests that the soils have suitable drainage characteristics for green infrastructure.





Impervious Cover		Existing Loads from Impervious Cover (lbs/yr)			Runoff Volume from Impervious Cover (Mgal)	
%	sq. ft.	TP	TN	TSS	For the 1.25" Water Quality Storm	For an Annual Rainfall of 44"
5	34,224	1.6	17.3	157.1	0.027	0.94

Recommended Green Infrastructure Practices	Recharge Potential (Mgal/yr)	TSS Removal Potential (lbs/yr)	Maximum Volume Reduction Potential (gal/storm)	Peak Discharge Reduction Potential (cu. ft./second)	Estimated Size (sq. ft.)	Estimated Cost
Bioretention systems	0.107	18	7,840	0.29	1,050	\$5,250

GREEN INFRASTRUCTURE RECOMMENDATIONS



Pittsgrove Baptist Church

-  bioretention system
-  drainage area
-  property line
-  2015 Aerial: NJOIT, OGIS



CURRENT CONDITION



CONCEPT DESIGN



Site Visits

What are we looking for during our site visit?

1. What are sources of stormwater and where does it flow?
2. What is the direction and relative slope of the site?
3. Where are impervious surfaces on the site?
4. What is the condition of the paved areas?
5. Are impervious surfaces directly connected?
6. Are there opportunities to disconnect?
7. Are there stormwater catch basins?

What are we looking for during our site visit (cont'd)?

9. Is there evidence of ponding water on the site?
10. Where are the utilities on the site?
11. Are there pedestrian safety issues?

Other Questions

- Do the soils infiltrate?
- Who own the property? Will they be open to installing stormwater management measures?
- Are there potential partners to help with the project?
- Do we need permits for altering this site with stormwater best management practices?
- Does the building have a basement?
- Can we lose parking spaces?
- Who will maintain the green infrastructure practices?
- Is the project a high priority?

THINGS YOU SHOULD BRING ON A SITE VISIT

Aerial photo

Pencil

Tape measure and/or measuring wheel

Camera

GREEN INFRASTRUCTURE CHECKLIST – Green Infrastructure Manual

Green Infrastructure
Site Assessment Checklist



GENERAL INFORMATION		Site ID:
Name person(s) completing assessment:		Date:
Location Address and Cross Streets:	Neighborhood:	
Name of Nearest Waterway:	Property Owner / Tax Parcel ID/Street Segment:	
Contact Information:		
SITE DESCRIPTION		
Description of site and relative visibility to the public (public or private property, lot size, current use, streetscape, etc):		

OBSERVATIONS	NOTES/REMARKS
1) What is the source of stormwater runoff and where does it flow (on map or aerial photo indicate water flow direction and existing storm drains)? Is there a noticeable source or deposit of sediment?	
2) What is the direction and relative slope of the site and/or street? (indicate on map or aerial photo)	
3) Where on the site are impervious areas and estimate area in square feet (i.e. rooftops, parking lots, and sidewalks)? For streetscapes, what is the building setback and/or sidewalk width?	
4) Do paved areas appear to be in poor condition (cracks, settling, vegetation growth, etc.) or do they appear newly paved or reconstructed?	
5) Does stormwater runoff from impervious areas flow directly to the sewer system (such as roof runoff directed into a storm drain)?	
6) Are there opportunities to redirect and disconnect runoff (downspouts, grassed areas, tree pits, and curb extensions)?	
7) How many stormwater catch basins are visible? Note location on maps and general condition, i.e. clogged, functioning, shallow (< 3 ft), or deep (>3 ft)?	
8) Is there evidence of ponding water at the site or flooding in streets or intersections? (Indicate reason; i.e. due to clogged drains, high water table, etc.)	
9) Are there mature trees/vegetation at the site? What types of plants would be appropriate at the site (sun or shade tolerant, height or site line restrictions)?	
10) Where are utilities on the site or in the right of way that could conflict with construction (sewer pipes, utility poles, water, gas, etc)?	
11) Does pedestrian safety need to be addressed? Will parking or bus stops be impacted by construction?	

Green Infrastructure
Site Assessment Checklist



Choose suggested best management practices (BMPs) or indicate other. Include site photos and a description of recommended BMP location.

BIORETENTION SYSTEMS (RAIN GARDENS)	YES	NO	COMMENTS
1) Are there visible, exterior downspouts on any buildings?			
2) Are there unpaved areas suitable for landscaping?			
3) Is the site subject to ponding or flooding?			
RAINWATER HARVESTING	YES	NO	COMMENTS
1) Are there nearby buildings with visible exterior downspouts?			
2) Is there a community garden nearby or other use for collected rainwater?			
TREE PITS, TRENCHES, AND STREETSCAPE STRATEGIES	YES	NO	COMMENTS
1) Does stormwater flow across sidewalks or along the curb?			
2) Are there existing trees, landscaping or tree pits near the street?			
2) Can water be directed from the street/curb into adjacent areas?			
POROUS PAVEMENT	YES	NO	COMMENTS
1) Are there large areas of pavement on the site and are any paved areas not heavily used (i.e. fire lane, overflow)?			
2) Are existing impervious areas in poor condition and in need of replacement?			
CURB EXTENSIONS AND STORMWATER PLANTERS	YES	NO	COMMENTS
1) Is this a heavily used pedestrian crossing? Are there pedestrian crosswalks that would be safer if shortened?			
2) Is the intersection or street at a location where stormwater can be collected before it enters a storm drain?			
OTHER STRATEGIES	YES	NO	COMMENTS

Next Class

- ✓ How to identify green infrastructure projects in your town
- 2. Moving from planning to implementation of green infrastructure – Jan. 27th
- 3. Maintaining green infrastructure practices/projects – Feb. 10th
- 4. Stormwater management regulations, policies, and ordinances – Feb. 24th

RESOURCES FOR YOU!

RUTGERS New Jersey Agricultural Experiment Station

Water Resources Program

Search This Site

Go

[HOME PAGE](#)[About the Program](#)[Staff](#)[Projects & Programs](#)[Recent Presentations](#)[Water Pages](#)[Fact Sheets](#)[E-learning Tools](#)[Useful Links](#)

Connect With Us



Our green infrastructure initiative in urban centers focuses on capturing stormwater with cost-effective practices before it enters the combined sewer systems.

ABOUT US

Rutgers Cooperative Extension
Water Resources Program

G.H. Cook Campus
14 College Farm Road
New Brunswick, NJ 08901

www.water.rutgers.edu

~Creating Solutions for
Water Resources Issues in New Jersey~

*Our mission is to identify and address
community water resources issues
using sustainable and practical
science-based solutions.*

NEWS

- [In the News - October 3, 2017](#)
- [SEBS/NJAES Newsroom](#)

RUTGERS New Jersey Agricultural Experiment Station

Water Resources Program

Search This Site

Go

[HOME PAGE](#)[About the Program](#)[Staff](#)[Projects & Programs](#)[Recent Presentations](#)[Water Pages](#)[Fact Sheets](#)[E-learning Tools](#)[Useful Links](#)

Connect With Us



Projects & Programs

Agricultural Watershed Planning & Implementation	Municipal/Community Training
Green Infrastructure Program	Rain Gardens & Rain Barrels
Keep the Rain from the Drain ~ Impervious Cover Reduction Program	Watershed Planning & Implementation
Municipal Stormwater Management	

Agricultural Watershed Planning & Implementation

- [Watershed Restoration & Protection Plan for Assiscunk Creek, Burlington County, NJ](#)
- [Assiscunk Creek Watershed Agricultural Mini-Grant Program](#)
- [Biofilter Wetland at Harrow Run, Water Quality Evaluation of Pollutant Removal Efficiency from a Tailwater Recovery System](#)
- [Watershed Restoration Plan for the Upper Cohansey River Watershed](#)
- [Upper Cohansey River Watershed Agricultural Mini-Grant Program](#)
- [Watershed Restoration Plan for the Upper Salem River Watershed](#)
- [Upper Salem River Watershed Agricultural Mini-Grant Program](#)

[Top of Page](#)

Green Infrastructure Program

- [Camden Green Infrastructure Initiative](#)
- [Fixing Flooding: One Community at a Time Innovative Solutions using Green Infrastructure Conference](#)
- [Green Infrastructure Education and Implementation Program](#)
- [Green Infrastructure Guidance Manual for New Jersey](#)
- [Green Infrastructure Solutions for New Jersey Conference](#)

Keep the Rain from the Drain ~ Impervious Cover Reduction Program

- [Impervious Cover Assessments and Impervious Cover Reduction Action Plans for Coastal Communities](#)
- [National Fish and Wildlife Foundation ~ Incorporating Green Infrastructure Resiliency in the Raritan River Basin](#)
- [Impervious Cover Assessments, Impervious Cover Reduction Action Plans, and Green Infrastructure Reduction Action Plans for New Jersey Future's Mainstreaming Green Infrastructure Program](#)
- [Salem County and Cumberland County, NJ ~ Impervious Cover Assessments and Impervious Cover Reduction Action Plans](#)
- [William Penn Foundation - Technical Support Program for Municipalities and Watershed Partners](#)

HUNTERDON COUNTY**Delaware Twp**

- *ICA*
- *RAP*
- *RAP web map*

Franklin Twp

- *ICA*
- *RAP*
- *RAP web map*

East Amwell Twp

- *ICA*
- *RAP*
- *RAP web map*

Raritan Twp

- *ICA*
- *RAP*
- *RAP web map*

Flemington Boro

- *ICA*
- *RAP*
- *RAP web map*

Readington Twp

- *ICA*
- *RAP*
- *RAP web map*

MIDDLESEX COUNTY**Dunellen Boro**

- *ICA*
- *RAP*
- *RAP web map*

North Brunswick Twp

- *ICA*
- *RAP*
- *RAP web map*

NEW JERSEY HIGHLANDS WATERSHED CLUSTER**Alpha**

- *ICA*
- *RAP*
- *RAP web map*
- *Feasibility Study*

Lopatcong

- *ICA*
- *RAP*
- *RAP web map*
- *Feasibility Study*

Branchville

- *ICA*
- *RAP*
- *RAP web map*
- *Feasibility Study*

Mount Arlington

- *ICA*
- *RAP*
- *RAP web map*
- *Feasibility Study*

Greenwich

- *ICA*
- *RAP*
- *RAP web map*
- *Feasibility Study*

Mount Olive

- *ICA*
- *RAP*
- *RAP web map*
- *Feasibility Study*



QUESTIONS?

Green Infrastructure Champions Program

This program is partially funded by the Rutgers New Jersey Agricultural Experiment Station, Geraldine R. Dodge Foundation, NJ Sea Grant Consortium, and William Penn Foundation and is a collaboration of the Rutgers Cooperative Extension Water Resources Program and the Green Infrastructure Subcommittee of Jersey Water Works.

RUTGERS

New Jersey Agricultural
Experiment Station



**JERSEY WATER
WORKS**



Smart infrastructure. Strong communities.

**Please enter your full name
and affiliation in the chat. This
is how will take attendance.**

**GERALDINE R.
DODGE** 
FOUNDATION


Sea Grant
NJ Sea Grant Consortium


WILLIAM PENN
FOUNDATION