


Green Infrastructure Champions Program

This program is partially funded by the Rutgers New Jersey Agricultural Experiment Station, Geraldine R. Dodge Foundation, NJ Sea Grant Consortium, and William Penn Foundation and is a collaboration of the Rutgers Cooperative Extension Water Resources Program and the Green Infrastructure Subcommittee of Jersey Water Works.



**Please enter your full name
and affiliation in the chat.
This is how will take
attendance.**



Green Infrastructure Champion Training: Part 6

“Green Infrastructure Projects for Schools”

March 24, 2023
Virtual Class



Rutgers Cooperative Extension

Rutgers Cooperative Extension (RCE) helps the diverse population of New Jersey adapt to a rapidly changing society and improves their lives through an educational process that uses science-based knowledge.





Water Resources Program



Our mission is to identify and address water resources issues by engaging and empowering communities to employ practical science-based solutions to help create a more equitable and sustainable New Jersey.

Goals of the Federal Clean Water Act:

1. To eliminate the discharge of pollutants into the nation's waters (zero discharge of pollutants by 1985)
2. To achieve water quality levels that are fishable and swimmable by mid-1983



The Clean Water Act at 50:

Promises Half Kept at the Half-Century Mark

TABLE 1: U.S. WATERS CLASSIFIED AS “IMPAIRED” BECAUSE OF TOO MUCH POLLUTION

Waterbody Type (unit)	Total Assessed	Total Impaired	Percent Impaired
Rivers, Streams, and Creeks (miles)	1,401,320	703,417	50%
Lakes, Ponds, and Reservoirs (acres)	20,403,021	11,168,767	55%
Bays, Estuaries, and Harbors (sq. miles)	76,557	19,470	25%


Source: The most recent available state Integrated Water Reports filed with EPA. Note: impairments include of waters assessed in the most recent cycle (six to 10 years, depending on the state), plus those assessed in earlier cycles.

TABLE 2: U.S. WATERS DESIGNATED AS IMPAIRED, BY USE

Designated Use	River & Stream		Lake & Reservoir		Bay & Estuary Square	
	Miles Assessed	% Impaired	Acres Assessed	% Impaired	Sq. Miles Assessed	% Impaired
Aquatic Life	1,174,369	42%	16,712,149	34%	33,026	40%
Drinking Water	337,339	29%	8,831,357	12%	-	-
Water Recreation	653,443	38%	15,373,880	25%	31,369	20%
Fish Consumption	419,403	47%	10,943,113	68%	25,069	43%

Source: Most recent state Integrated Reports filed with EPA. Percentage impaired is of assessed waterways.

MAP 1: RIVER & STREAM MILES CLASSIFIED AS IMPAIRED FOR SWIMMING AND WATER CONTACT RECREATION¹⁹



States with asterisks reported useable data only for swimming and other primary water contact recreation impairments, not for secondary water contact recreation, such as kayaking. Ohio is not included because it does not count impairments like the other states.

TABLE 8: STATES WITH MOST SQUARE MILES OF IMPAIRED ESTUARIES

State	Assessed (Sq. Miles)	Impaired (Sq. Miles)	% Impaired
Louisiana	6,079	5,574	91.7%
Florida	2,544	2,533	99.6%
Maryland	2,403	2,404	100.0%
Virginia	2,449	2,137	87.3%
Texas	2,610	1,248	47.8%
North Carolina	3,210	949	29.6%
California	836	834	99.8%
Delaware	775	775	100.0%
Alabama	784	634	81.0%
New Jersey	650	630	97.0%

Source: Most recent state Integrated Reports filed with EPA.

River and Stream Miles by State

State	Total Miles	For Any Designated Use			Specific Designated Uses		
		Miles Assessed for Any Use	% Assessed for Any Use	% Impaired for Any Use	Designated Use	Miles Assessed	% Impaired
New Jersey	19,425	19,425	100%	95%	Water Contact Recreation	19,426	41%
					Public Drinking Water	14,693	44%
					Aquatic Life	19,426	61%
					Fish Consumption	19,426	42%
New Mexico	95,172	6,250	7%	65%	Water Contact Recreation	4,529	23%
					Public Drinking Water	2,220	1%
					Aquatic Life	2,309	62%
					Fish Consumption	2,309	62%
New York	87,126	57,186	66%	11%	Water Contact Recreation	15,197	4%
					Public Drinking Water	7,157	5%
					Aquatic Life	57,186	7%
					Fish Consumption	57,186	2%

Lake and Reservoir Acres by State

State	Total Acres	For Any Designated Use			Specific Designated Uses		
		Acres Assessed for Any Use	% Assessed for Any Use	% Impaired for Any Use	Designated Use	Acres Assessed	% Impaired
New Hampshire*	188,545	167,462	89%	90%	Water Contact Recreation	148,175	42%
					Public Drinking Water	170,179	0%
					Aquatic Life	166,521	89%
					Fish Consumption	185,081	100%
New Jersey	47,620	47,620	100%	97%	Water Contact Recreation	47,619	46%
					Public Drinking Water	46,578	43%
					Aquatic Life	47,619	61%
					Fish Consumption	47,619	63%
New Mexico	89,042	68,381	77%	86%	Water Contact Recreation	61,054	0%
					Public Drinking Water	2,236	0%
					Aquatic Life	47,417	69%
New York	687,102	578,426	84%	55%	Water Contact Recreation	522,188	4%
					Public Drinking Water	393,039	5%
					Aquatic Life	578,426	3%
					Fish Consumption	578,426	39%



"The Clean Water Act at 50: Promises Half Kept at the Half-Century Mark." According to this document (see attached), NJ is ranked #2 behind Delaware in most impaired waterways at 95% (Delaware is 97%). When I started the Rutgers Cooperative Extension Water Resources Program 20-years ago, 95% of NJ Waterways were impaired. Here we are 20-years later and according to this report, we have made no headway. Now what? I guess we just must try harder. We need to up our game! Think about where we are and where we need to go. We have a big following of impressive stakeholders. Let's figure out how to engage these stakeholders to take action and clean up NJ's waters.

Chris

I agree, I think it's a good opportunity to take a step back and say what is really causing these waterways to be impaired and what solutions will actually clean them in a reasonable time period.

What needs to happen in research, planning, politics, and real world action to make that happen? I don't think real world solutions can happen without a combination of all of them, and we certainly have a role to play in each of them.

Why New Jersey Schools?

- 590 School Districts
 - 2,526 Public Schools
 - 2,005 Elementary Schools
 - 511 Secondary Schools
 - 88 Charter Schools
 - Public School Enrollment = 1.37 million
 - Charter School Enrollment = 45,982
 - Full-time classroom teachers = 116,351
- Need more math teachers at NJ Department of Education

More on “why schools”

- Mostly old buildings and parking lots with little or no stormwater management
- Dedicated source of funding (\$11.6 billion in state aid in 2022-2023 + local property taxes)
- Educate the youth and the adults will follow
- Enhance all levels of teaching with outdoor education
- Innovative, interdisciplinary “outdoor classrooms”
- Highly visible sites
- Separate government – school board
- Free labor

**It is all about
controlling
runoff from
impervious
surfaces**



Step 1: Depave



Make Something with your De-Pavement




Greater Brunswick Charter School

Make Something with your De-Pavement



Greater Brunswick Charter School

Village Elementary School -



**Courtyard Rain
Gardens Project Area**

Existing Courtyard



Existing Courtyard




Existing Courtyard



Existing Courtyard



Design







south garden

































ZANE NORTH ELEMENTARY



ZANE NORTH ELEMENTARY





Site Elements: Infrastructure/Furnishings

Not to Scale
Dimensions to be
Verified in the Field

Zane North Elementary School
Rain Garden Project
Rutgers Cooperative Extension
April 20, 2017



ZANE NORTH ELEMENTARY



Not to Scale
 Dimensions to be
 Verified in the Field

Zane North Elementary School
 Rain Garden Project
 Rutgers Cooperative Extension
 April 20, 2017

ZANE NORTH ELEMENTARY





Water Flow and Infiltration Diagram

Not to Scale
Dimensions to be
Verified in the Field

Zane North Elementary School
Rain Garden Project
Rutgers Cooperative Extension
April 20, 2017

ZANE NORTH ELEMENTARY





Planting

Not to Scale
Dimensions to be
Verified in the Field

Zane North Elementary School
Rain Garden Project
Rutgers Cooperative Extension
April 20, 2017

ZANE NORTH ELEMENTARY



Composite Plan

Not to Scale
Dimensions to be
Verified in the Field

Zane North Elementary School
Rain Garden Project
Rutgers Cooperative Extension
April 20, 2017


ZANE NORTH ELEMENTARY




ZANE NORTH ELEMENTARY




Step 2: Simple Disconnection



Downspout Disconnection




DOWNSPOUT CONNECTED TO SEWER SYSTEM



DOWNSPOUT DISCONNECTED FROM SEWER SYSTEM


Useful Water: Disconnect to a Rain Barrel or Cistern



Disconnect your
downspout by installing a
rain barrel




REDUCE THE AMOUNT
OF RUNOFF ENTERING
STORM SEWERS



Impervious area is now "disconnected" from flowing directly into the storm sewer system

Useful Water: Rainwater Harvesting Systems



From Problem to Utility









Rain Garden
Water Quality and Wildlife Habitat
Enhancement Project

This garden is designed to capture, treat, and infiltrate stormwater at the source before it becomes runoff. It helps prevent nonpoint source pollutants from entering nearby waterways. The plants are native to the region and attract wildlife.

Rain gardens are beautiful, low-maintenance, and inexpensive gardens that you can install at home.

www.water.rutgers.edu



© 2010 Rutgers University. All rights reserved. This project was funded by the New Jersey Department of Environmental Protection and the New Jersey Office of Water Resources.















Useful Water: Filter stormwater through rain garden to roots - water food beds



Jonathan Dayton High School Courtyard



Useful Water: Filter stormwater through rain garden to roots - water food beds







Useful Water: Filter stormwater through rain garden to roots - water food beds



Useful Water: Filter stormwater through rain garden to roots - water food beds




Disconnect to a Rain Garden




Rooftop runoff is now "disconnected" from flowing directly into the storm sewer system


Bioretention Systems/Rain Gardens



PARTS OF A RAIN GARDEN



Lots of Rain Gardens



HAMILTON HIGH SCHOOL

WEST



Mark out
April 2014

2014

- Installed rain garden with assistance from the DPW
- Educated students about rain gardens and planted with them

2016

- Returned to conduct maintenance



Planting
June 2014



Post Maintenance August 2016



HAMILTON HIGH SCHOOL WEST



October 2018

- Educated the Life Skills students about nonpoint source pollution, rain gardens, and how to do maintenance
- Conducted hands on maintenance with the students



TABERNACLE MIDDLE SCHOOL



January 2018



October 2018



April 2018



October 2018



October 2018



October 2018

WOODS ROAD ELEMENTARY SCHOOL



Site visit March 2011



Post excavation April 2011



Post planting May 2011



Follow up site visit June 2011



WOODS ROAD ELEMENTARY SCHOOL



Site inspection August 2017



Maintenance August 2017

ETHEL JACOBSON ELEMENTARY SCHOOL





Rain garden at Catto School in Camden, NJ


Step 3: Convert to Permeable Pavement

POROUS ASPHALT

It is common to design porous asphalt in the parking stalls of a parking lot. This saves money and reduces wear.

DRAINAGE AREA

The drainage area of the porous asphalt system is the conventional asphalt cartway and the porous asphalt in the parking spaces. Runoff from the conventional asphalt flows into the porous asphalt parking spaces.



UNDERDRAIN

Systems with low infiltration rates due to soil composition are often designed with an underdrain system to discharge the water.

ASPHALT

This system is often designed with conventional asphalt in areas of high traffic to prevent any damage to the system.

SUBGRADE

Porous pavements are unique because of their subgrade structure. This structure includes a layer of choker course, filter course, and soil.

Permeable Pavements


- Underlying stone reservoir
- Porous asphalt and pervious concrete are manufactured without "fine" materials to allow infiltration
- Grass pavers are concrete interlocking blocks with open areas to allow grass to grow
- Ideal application for porous pavement is to treat a low traffic or overflow parking area



ADVANTAGES

- Manage stormwater runoff
- Minimize site disturbance
- Promote groundwater recharge
- Low life cycle costs, alternative to costly traditional stormwater management methods
- Mitigation of urban heat island effect
- Contaminant removal as water moves through layers of system

COMPONENTS





MEDICAL ARTS HIGH SCHOOL









THE GARVIEW DISTRICT





How do we get started?

- Be clear about what you have to offer the school and why you want to work with them
- Ensure them that you are not going to make more work for the teachers or administrators
- Do not scare them with a lengthy discussion on maintenance but inform them of the tasks
- Tell them how the work will be funded, don't be afraid to ask for funding but make sure they know you have skin in the game

Educational Programming

- Educational program can vary in length
- Community-Based Project Learning was eight weeks – one day in the classroom per week and then building and planting a rain garden
- You can also educate the students when they plant the garden
- Students can continue these efforts beyond the classroom – Eagle Scout Project, National Honor Society, or simply a college resume builder

Jonathan Dayton High School Springfield

- a) NJ Physiography modeled in the garden
- b) Interpretive Design
- c) Embedded Narrative
- d) Local Aesthetics
- e) Built with Town DPW and Board of Education Facilities Personnel

“Physiography/Geology Teaching Garden”

Design Goals:

Demonstrate a rain garden that:


Is useful as a teaching tool specific to place

Highlight New Jersey’s geology, and how it is connected to water and plants


Demonstrate the relationship between paving (imperviousness) and unpaved areas

Create interest in “real” landscapes by reference and mimicry in the garden

Beyond Water Control: Connecting with Geology, Soils, and Plant Communities



Beyond Water Control: Educational Garden




Ridge &
Valley

Highlands


Piedmont

Coastal Plain

Limestone
Sand
Granite
Sandstone
Concrete
Shale
Gneiss



*Coastal Plain
(Low)*



*Piedmont
(Middle)*



*Ridge and Valley
Highlands
(High)*



*Coastal Plain
(Low)*

Paterson Elementary School #28







The Enviroscape Model

- Great for all ages
- Simple to use and conveys all the necessary concepts
- Easy to clean up
- The students can jump right in and make it rain



Stormwater Management in Your Schoolyard Program

<http://water.rutgers.edu/Projects/SWMIYSchoolyard/SWMIYSchoolyard.html#K8>

Sustainable Jersey for Schools

Two Actions (10 points each):

- **Green Infrastructure Assessment & Plan**
- **Green Infrastructure Installation**

What's next?

- Many of the ICAs, RAPs, and green infrastructure feasibility studies have identified opportunities at schools
- Check if the school is registered in Sustainable Jersey for Schools:
- <https://www.sustainablejerseyschools.com/certification/search-participating-districts-schools-approved-actions/>
- Reach out to the school and see if they are interested in green infrastructure planning or installing a practice



QUESTIONS?